



US00D483434S

(12) **United States Design Patent**
White

(10) **Patent No.:** **US D483,434 S**

(45) **Date of Patent:** **** Dec. 9, 2003**

(54) **ANCHOR FOR FLOATING DECOY**

5,168,650 A * 12/1992 Martin 43/3
D348,716 S * 7/1994 Sbrocchi D22/125
D360,169 S * 7/1995 Gazalski D12/215

(76) Inventor: **Ronald J. White**, 2832 Howard Dr.,
Redding, CA (US) 96001

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Catherine R. Oliver
(74) *Attorney, Agent, or Firm*—Heisler & Associates

(21) Appl. No.: **29/177,865**

(57) **CLAIM**

(22) Filed: **Mar. 17, 2003**

The ornamental design for an anchor for floating decoy, as shown and described.

(51) **LOC (7) Cl.** **22-05**

(52) **U.S. Cl.** **D22/125**

(58) **Field of Search** D22/125; 43/3,
43/2, 1, 4; 114/311, 210, 294; 294/82.11;
D12/215; 119/793, 714

DESCRIPTION

(56) **References Cited**


U.S. PATENT DOCUMENTS

1,879,991 A * 9/1932 Pratt 119/714
2,589,913 A * 3/1952 Wenner 114/294
2,630,093 A * 3/1953 Toal 114/294
2,711,607 A * 6/1955 Watson 43/3
2,747,315 A * 5/1956 Clemas 43/3
3,867,905 A * 2/1975 Vail, Jr. 119/793
D244,772 S * 6/1977 Zongker D12/215
D259,035 S * 4/1981 Greenhawk, Sr. D12/215

FIG. 1 is a perspective view of the anchor for floating decoy; FIG. 2 is a right side view of the invention, the left side view being a mirror image; FIG. 3 is a front elevation view of the invention, the rear elevation view being a mirror image; FIG. 4 is a top plan view of the invention; FIG. 5 is a bottom plan view of the invention; and, FIG. 6 is a perspective view of the invention in use attached to a floating decoy.

The broken lines in FIGS. 1–3 and 6 are for purposes of illustration only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1



Fig. 2



Fig. 4



Fig. 5




Fig. 3




Fig. 6